

Easy. Scalable. Quality.

Garland Technology Providing the Visibility Foundation

Network Administrators and SecOps team need to ensure that the data being fed into their analytic and security tools is complete and accurate.

Garland Technology specializes in providing the products needed to deliver every "bit, byte & packet" to the monitoring and security tools, on-prem or in the cloud.





Garland Technology is Global

Deployed in every vertical



3,000customers and 100 partners globally

New York | Texas | UK | Poland | Australia

Garland office

•Telcos •Government •Healthcare •Defense •Manufacturing •Financial •Retail •Energy •Entertainment •Technology Pharmaceuticals •Education •Transportation

0

Gaming •Any enterprise IT network

Who Has Gained Visibiliy with Garland?




It starts with the Packet

- **Complete Visibility Truth**, passing all live wire data
- Guaranteed 100% Uptime for active, inline security tools
- Ensure No Packets Loss,

for out-of-band tools

• Flexible Cloud Packet

access



- **Optimize** your security and monitoring tools
- **Maximize** and enhance your existing infrastructure
- **Easily upgrade** existing speeds, save on new tools
- Easy migration to Private and Public Cloud

360° Visibility



Network Visibility Provides

Awareness of:


- + Everything connected to the network
- + Everything flowing through and into the network

Benefits include:

- + Improved Network & Application performance
- + Reduced troubleshooting time & cost
- + Identification of malicious behavior and potential threats
- + Regulatory compliance

OTD Bil

+ Successful business transformation





Network Visibility Fabric

Starts with Garland Technology



Physical Layer TAPS

- 100% visibility for oyt-of-band monitoring tools
- Continues development (First to release OM5, customized solutions)



Purpose-built Packet Brokers

- Aggregation layer supports filtering, aggregation and load balancing
- Advanced features support deduplication, packet slicing, time stamping and more



Inline Edge Security

- Reduce the risk of downtime
- Adds resiliency and peace of mind
- Innovative inline hybrid packet broker



Cloud • Private



Network Visibility Fabric

«You Can't Troubleshoot or Protect What You Can't See or Manage»


+ Two components

- + Out-of-Band network infrastructure
 - + Provides packet level visibility for monitoring appliances
 - + Invisible, non-disruptive and secure method of mirroring packets from accross the network to monitoring and security tools (IDS etc)
- + In-Line infrastructure
 - + Inline tool connection method
 - + Protects the network, reduces operational burden and costs and improves the effectiveness of in-line security tools (NGFW, IPS etc.)



Scalable Visibility Fabric For Your Architecture


Eliminate network and security blind spots, while adding resiliency and high performance for both inline and out-of-band environments





Scalable Visibility Fabric For Your Architecture

Eliminate network and security blind spots, while adding resiliency and high performance for both inline and out-of-band environments



Inline / Active



Out-of-Band / Passive

Technology Partnerships

Our TAP to Tool[™] philosophy empowers the solution by architecting to the tool_





How Garland Technology Works with Your Monitoring Solutions?

Deploying of managing One of these tools?

		Û
Vireshark	APM	Packet Capture
ā	•	T
Network Analyzer	IDS	Lawful Intercept
	Q	
orensics	DPI	SIEM
Ť	•	
ontent Filter	Packet Injection	Network Packet Broker

GLOBAL VAD

HNOLOGY



How Garland Technology Works with Your Monitoring Solutions?

Deploying of managing One of these tools?







Work with any of these companies?

a paloalto

IMPERVA

AI

ForeScout

13

• ExtraHop

:: radware

BLUVECTOR.

SCADAfence

1.111

CISCO

Partner

McAfee

CHECK POINT

corelight

AllianceONE Member

wirex

Solution Partner

Recommended Garland Products

antenno

EdgeSafe: Bypass TAPs • Fallsafe & heartbeat technology •1G/10G/40G/

* EdgeLens In-line Security •Hibrit Packet Broker

Network Packet Brokers


Advanced Aggregators High Density filtering aggregation and load balancing

Advanced Features •DeDup, time stamping

•Hybrid NPB System • Under 200 Ports

Portfolio

«You Can't Troubleshoot or Protect What You Can't See or Manage"





Network TAPs




Provide Complete Visibility for High-Performance Monitoring Solutions

- Purpose-built for packet visibility
- Can mirror 100% full duplex traffic
- 100% secure, can't be hacked
- Passive or Active with failsafe, doesn't impact network operation



100% Secure and Complete Visibility




Media Conversion

+ Media Conversion with Network TAPs

+ Media Conversion from SX and LX fiber to RJ45 copper or SF $\,$

+ Media Conversion from 100 Base-FX and 100 Base-LX to RJ45 copper

+ Media Conversion from SR and LR to SFP+ (Copper, SR or LR)





Secure Simplex Mirroring

+ Avoiding security vulnerabilities

+ Network TAP's have no MAC address that can be accessed through the network ports


+ Data Diode (Simplex) Network TAP's guarantee data (malicious or other) can never be injected into the operational network


+ SPAN/Mirror ports on switches&routers expose a security vulnerability-they have a Receive as well as a Transmit ability




Data Diode TAPs

Secure One-Way (Simplex) Traffic






Data Diode Network TAP



Data Diode SPAN TAP





Garland Technology Data Diode TAP's

+ Passive Fiber TAPs

+ Utilise optical splice technology which blocks incoming data (light) on the monitor ports
+ Prevents data (treats) being injected from the monitor ports into the network

+ Passive Copper TAP's


+ Monitor ports have no physical RX connection

+ Active Copper & Fibre TAP's


- + Monitor ports have no physical RX connection
- + Exception
- + Bypass or TAP2s specifying data insertion ability

This diagram depicts 4 port (A,B,C,D). The Data Diode Network TAP shows port A flow out port B and sends a copy out of port C and Port B flow out of Port A and sends a copy out port d.

This diagram depicts 4 port (A,B,C,D). The Data Diode SPAN TAP shows the traffic of Port A flow out of port C and Port B flow out of port D.



Single Way Data Flow





e Innovation



Performance & Reliability



Highest Quality

Network TAPs



21

Portfolio

+ Passive Fibre TAP's

- + Chasis, fixed 1U and Portable (1/4) options
- + 1G 400G speed
- + MMF&SMF
- + 0S1 & 0S2
- + OM1, OM2, OM3, OM4 & OM5
- + LC, MPO/MTP connectors
- + Breakout & Regeneration, BiDi
- + Data Diode Design

+ Passive Copper Breakout TAP

- + Portable (1/4) form factor
- +10/100m
- + Breakout
- + Data Diode Design











Portfolio

+ Active TAP's

- + Chasis, 1U¹/₂ width, Portable (1/4) and Field options
- + 100M, 1G ve 10G hiz + Copper, MMF ve SMF
- + USB, Mighty Mouse, RJ45, SFP, SFP+ ve LC connectors
- + Breakout, Agregation & Regeneration options
- + Data Diode Design
- + LFP, LSS and PoE
- + Filtering

+ Industrial Accessories

- + DIN Rail mounting for portable TAPs
- + DC DC convertor








Visibility for Specialized and Extreme Environments

From Extreme Temperatures, to Secure Rugged Connections

- Rugged metal construction
- Environmental durability: withstand exposure to corrosive, highheat, and high-pressure weather environments.
 - TAPs Engineered for extreme temperature variations -40C to +85C / -40F to +185F
- Designed to specific requirements to address electromagnetic interference (EMI).
- Secure connections and power connectors
 - Mighty Mouse connectors
 - Power Lock connectors





Data Diode Portfolio


One-way Traffic for Network Monitoring without Exposure to Additional Risk



Data Diode TAPs	Data Diode SPAN TAPs	Aggregator TAP: Data Diode	RegenTAP: Dual Breakout SPAN 1x4
· · · · · · · · · · · · · · · · · · ·	The second s	and and Here is it Di	
10/100/1000M and 1G/10G	10/100/1000M	10/100/1000M	1G/10G
• Copper RJ45[n / m] • 100Base-FX[n] • Single Mode[n] • Multi Mode[n] • SFP[m]	• Copper RJ45 (n]	• Copper RJ45(n] • SFP(m)	•(10)SFP+
• Portable	• Portable	• % Rack 1U Chassis	• % Rack 1U Chassis
 Protect network traffic Undirectional traffic flow Traffic control is enforced at the physical level 	• Protect SPAN port traffic •Undirectional traffic flow •Traffic control is enforced at the physical level	 Protect network / SPAN traffic Undirectional traffic flow Traffic control is enforced at the physical level TAP Aggregation 4x2 (8x1 SPAN) 	 Protect SPAN port traffic Undirectional traffic flow Ideal for direct connect, SFP, QSFP active cable infrastructures.



Virtual TAP



+ Visibility into Inter-host communication

- + Hypervisor Independent
- + Security Simplex
- + Support for:
 - + Windows Server 2019
 - + Linux via Docker
 - + Linux Red Hat, Ubuntu, SUSE







Performance & Reliability




Highest Quality

Network Packet Brokers



Network Packet Brokers

- + Mechanism to aggregate, shape & direct monitored traffic to Tools
- + Reduce cost and complexity
 - + Speed troubleshooting
 - + Detect breaches faster
 - + Reduce burden on security tools
 - + Extend the life of monitoring tools
 - + Support regulatory compliance





PacketMAX Packet Brokers

Support Your Packet Broker Need or Enhance Your Existing Infrtastructure



• Scalability and Flexibility: Deploy what you need, when you need it. Modular solutions for future growth.

Simple: Wihh easy set management or by incorporating Restful API, put the focus on the tools.
Optimize your investment: With better performance, protect and extend your current environment.

• **Open Vendor:** We support multi-source agreement (MSA) transceivers/optics, no vendor lock-in.

• No lisensing or port fees.




Network Packet Brokers

+ Layered functionality

Live Network	
SPAN & TAP Layer	
	Network
Aggregation Layer	Analyzer
<u></u>	Network Packet Broker
Advanced Features Layer	
	APM



Network Packet Brokers



Aggregation & Regeneration – N to 1,1 ila N, N to N Filtering- 2, 3 & 4 Loadbalancing- HASH, Round Robin etc. Decapsulation - GRE, VXLAN, MPLS, VLAN, ERSPAN etc. Tunneling Encapsulation- GRE, VXLAN Packet Slicing- Payload removal - NTP, PTP Deduplication - Multilevel analysis & removal of duplicates Metadata Engine- IPFIX, Netflow generation Application Seesion Filtering - User defined filters etc **Decryption-**SSL decryption Entegre TAP - Hybrid TAP/NPB Inline Tool Connectivity - Fail safe, Heartbeats, load balancing, serial chaining

Network Packet Broker Portfolio

Deploy What You Need, When You Need It



PacketMAX [™] Advanced Collector	PacketMAX TM Advanced Collector	PacketMAX TM Advanced Collector	PacketMAX [™] % Rack 1U Chassis1U Chassis
			THE REAL PROPERTY OF
1G/10G/25G/40G/100G	1G/10G	1G/10G/40G/100G	1G/40G/100G
• RJ45 • SFP+ • QSFP+ • QSFP28	• SFP+	• RJ45 • SFP+ • SFP28 • QSFP+ • QSFP28	• SFP+ • QSFP+ • QSFP28
• 1U or 2 Chassis	• % Rack 1U Chassis • 1U Chassis	• 1U Chassis	• 1U Chassis
 Reduce and optimize traffic to improve tool performance Filtering, Aggregation and Load Balancing Start and Terminate GRE and L2GRE Tunnels 2k filters No additional per-port license fees 	 Reduce and optimize traffic with a small form factor Filtering, Aggregation and Load Balancing 1U with Innovative 13" depth No additional per-port license fees 	 Reduce and optimize traffic to improve tool performance High density Fitering (Ingress&Egress), Aggregation and Load Balancing Time stamping Packet Slicing GRE, ERSPAN, VxLAN, L2RE Encap / Decapsulation VLAN Tagging, VLAN/MPLS stripping 	 Reduce and optimize traffic to improve team performance Large window deduplication FFGA Based design for increased flexibility Time Stamping: 5 nS resolution Programmable Packet Slicing


TAP Packet Broker Hybrid Portfolio

Deploy What You Need, When You Need It



XtraTAP™	XtraTAP™	XtraTAP™	XtraTAP™	XtraTAP™
10/100/1000M	1/10G	1G/10G	1G/10G	40G
 Copper RJ45[n / m] Single Mode[n] Multi Mode[n] SFP[m] 1U or 2U Modular Chasis 	• Single Mode [n] • Multi Mode [n] • SFP+[m]	• Single Mode [n] • Multi Mode [n] • SFP+[m]	• Single Mode [n] • Multi Mode [n] • SFP+[m]	• SR4[n] • LR4[n] • SFP+ / QSFP+[m]
1U or 2U Modular Chasis	Portable	• Portable	• High Density 1U Chassis	• High Density 1U Chassis
• TAP with packet broker features • Supports filtering, aggregation, bypass or breakout TAP modules • Failsafe • Multi-Tier Filtering supports MAC, VLAN, IP, DSCP, TCP, UDP	 TAP with packet broker features Provide 100% full duplex traffic visibility Advanced filtering for layer 2, layer 3 and layer 4 Supports tap filtering, «breakout», aggregation and regen modes 	 Portable packet broker: Four port SFP+ design Ultimate flexibility: Configure TAP modes, ports, speeds and media Advanced filtering for layer 2, layer 3 and layer 4 	 TAP + packet broker features in 1 Provide 100% full duplex traffic visibility Filtering, Aggregation and load balancing Hardware base chaining Remote mngt 	 TAP + packet broker features in 1 Provide 100% full duplex traffic visibility Filtering, Aggregation and load balancing Hardware base chaining Remote mngt





- Ensures no dropped packets, passing physical errors and supports Jumbo frames
- Does not alter the time relationships of frames
- Passive or failsafe, ensuring no single point or failure (SPOF)
- Data Diade TAPs provide undirectional traffic to protect against back flow of traffic into the network
- TAPs are secure, do not have an IP address or MAC address and cannot be hacked

- Can take up high value ports on the switch
- Some legacy switches do not have SPAN available
- SPAN ports can drop packets
- Will not pass corrupt packets or errors
- Bildirectional traffic opens back flow of traffic into the network, making switch susceptible to hacking
- Administration/programming costs for SPAN can get progressively more time intensive and costly



Two Ways to Mirror Traffic

TAP

OTD BILISIM

- Does not drop packets, regardless of bandwidth
- Plug & Play, set-up once and never touch again
- Does not alter the time relationships of frames
- Does not impact the live network while monitoring

SPAN

- Packets are dropped when ports are oversubscribed
- Easily misconfigured or turned off
- Can change the timing of the frame interactions
- Degrades performance of live network

The EDGE of the Network is Green

From the Inventor of Bypass Technology



Edge / Remote Locations



Data Center



Enterprise




How to Improve IT Security Threat Detection and Preventation Deployments?

Implementing Inline Visibility Architecture




Inline Edge Security Deployments



Benefits of Inline Bypass

Deploying and Managing Your Inline Appliance



Inline Bypass

Out-of-Band Tap 'Breakout

Failsafe

- No maintenance Windows Peace of mind without network downtime.
- Operational Expedited problem resolution of unplanned downtime.
- Network resilience flexibility to bypass the tool and keep the network up, or Failover to HA solution.



Reduce Network Downtime


IT Security Solutions Use Case

Challange: Managing the risk of downtime is a critical consideration when deploying security tools.

- Oversubscribed devices, degrade network performance
- Device failures can bring down the network
- Deploying new Technologies into the network
- Scheduling off hour planned downtime

Solution: Bypass TAP " Inline lifecycle management" allows to you:

- Easily take tools out-of-band for updates, installing patches, maintenance or troubleshooting to optimize and validate
- Administrative isolation No maintenance windows
- Tool Sandbox Pilot or deploy new tools





Eliminate Single Points of Failure IT Security Solutions Use Case

Challange: Because Inline tools (IPS, firewalls) sit in the live network, the challange of deploying these tools is to not create a possible single point of failure (SPOF) in the process.

Solution: Btpass TAPs provide the ability to manage your inline tool any time without having to take down the network or impact business availability for maintenance or upgrades – ensuring this inline security tool is not a point of failure in the network:

- Failsafe deployment of inline tools
- Configurable security tool heartbeats
- Eliminates single points of failure within your network
- No maintenance windows








Inline Lifecycle Management

Manage Your Inline Tool Any Time without Having to Take Down the Network



Tool Sandbox

- Tool Sandbox Pilot or deploy new tools
- Evaluate & Optimize the tool out-of-band
- Validation push active inline
- Troubleshooting & Maintenance




Managing Multiple Inline Tools

IT Security Solutions Use Case

Challange: Deploy and manage a growing list of security tools, including encryption IPS, WAFs, firewalls, SIEM, DDoS and SSL.

Solution: Inline Tool Chaining, allows you to manage the availability of your inline and out-of-band tools

- Chaining allows you to pass traffic through multiple inline tools
- Independently monitor the health of each inline tool with bypass heartbeats
- Load balance to the other tools 1:1 or 1:N tools
- Additionally send traffic to out-of-band monitoring tools






Managing Multiple Inline Tools

IT Security Solutions Use Case

Challange: Deploy and manage a growing list of security tools, including encryption IPS, WAFs, firewalls, SIEM, DDoS and SSL.

Solution: Inline Tool Chaining, allows you to manage the availability of your inline and out-of-band tools

- Chaining allows you to pass traffic through multiple inline tools
- Independently monitor the health of each inline tool with bypass heartbeats
- Load balance to the other tools 1:1 or 1:N tools
- Additionally send traffic to out-of-band monitoring tools






Optimizing Inline Tool Performance

IT Security Solutions Use Case

Challange: Deploy and manage a growing list of security tools, including encryption IPS, WAFs, firewalls, SIEM, DDoS and SSL.

Solution: Inline Tool Chaining, allows you to manage the availability of your inline and out-of-band tools

- Chaining allows you to pass traffic through multiple inline tools
- Independently monitor the health of each inline tool with bypass heartbeats
- Load balance to the other tools 1:1 or 1:N tools
- Additionally send traffic to out-of-band monitoring tools





Adding Redundant HA Solutions


IT Security Solutions Use Case

Challange: Erchitect an Intrusion Prevention Systems (IPS) for critical links with High Availability (HA) or redundant designs.

Solution: Garland offers two options for incorporating High Availability (HA) solutions into your network

• Active Standby (Active/Passive) deploys to a secondary tool, providing failover from primary device to backup appliance.

• The Active/Active Crossfire design incorporates a secondary tool and redundant link, providing the ultimate failover if either active device fails.



10106

Inline Bypass TAPs



Providing Ultimate Reliability for Inline Edge Security

- Prevent inline tools from being single point of failure (SPOF)
- Tool Sandbox Pilot or deploy new tools
- Manage multiple inline tools
- High Availability (HA) solution



Inline Bypass TAP Portfolio

Adding the resiliency modern networks need to be secure, from the inventor of bypass



EdgeSafe TM Bypass TAPs	EdgeSafe TM 1G Bypass Modular TAPs	EdgeSafe TM Integrated Bypass TAPs	EdgeSafe TM Bypass TAPs	EdgeSafe TM 40G / 100G Bypass Modular TAPs
andere .		and and a second		Hard Street B
100/1000M (1G)	100/1000M (1G)	100/1000M (1G)	1G/10G	40G/10G/100G
• Copper RJ45[nm] • Single mode[ve] • Multi mode[n] • SFP[m]	• Copper RJ45[nm] • Single mode[ve] • Multi mode[n] • SFP[m]	• Copper RJ45[nm] • Single mode[ve] • Multi mode[n]	• Single mode[ve] • Multi mode[n] • SFP[m]	• Single mode[ve] • Multi mode [n] • SFP / QSFP+ / QSFP28 [m]
Portable	1U or 2U Chassis	1U Chassis	Portable	1U Chassis
Reduce downtime for Inline tols w/small from factor Bypass Heartbeats/Failsafe Media conversion Link Failure Propagation (LFP) Plug&Play /Remote mngt	 Reduce downtime for Inline tols w/small from factor Bypass Heartbeats/Failsafe Media conversion Link Failure Propagation (LFP) Plug&Play /Remote mngt 	 Eliminate downtime with High Availability (HA) bypass Bypass Heartbeats/Failsafe 6 Monitoring ports Media conversion Link Failure Propagation (LFP) 	 Reduce downtime for Inline tols w/small from factor Bypass Heartbeats/Failsafe Link Failure Propagation (LFP) Plug&Play /Remote mngt 	 Reduce downtime for Inline tols w/small from factor Bypass Heartbeats/Failsafe 6x 10G;3x40G TAPs or (2x) 100G TAPs Media conversion Link Failure Propagation (LFP) Plug&Play /Remote mngt

Inline Hybrid Packet Broker Portfolio

Simplify your security stack, from the inventor of bypass



EdgeLens® Focus Inline Security Packet Broker	EdgeLens [®] Inline Security Packet Broker	EdgeLens® Inline Security Packet Broker	EdgeLens® Inline Security Packet Broker
1G/10G	1G/10G	40G	100G (Q1 22)
Single Mode (nJ Multi Mode [n] SFP+ [m]	Single Mode (nJ Multi Mode [n] •SFP+[m] Tools: : 40G/10G/1G	SR4[n] • LR4[n] • SFP+ / QSFP+[m] • Tools: 40G/10G/1G	SR4[n] LR4[nJ QSFP+/QSFP28[m] Tools: 100G/40G/25G/10G
• ½ Rack 1U Chassis	• High Density 1U Chassis	• High Density 1U Chassis	• High Density 1U Chassis
 Manage multiple inline and out-of-band tools in half rack Bypass Heartbeats/Failsafe High Availability (HA) Filtering, Aggregation and Load Balancing Hardware base chaining Remote mngt 	 Manage multiple inline and out-of-band tools in 1U Bypass Heartbeats/Failsafe High Availability (HA) Filtering, Aggregation and Load Balancing Hardware base chaining Remote mngt 	 Manage multiple inline and out-of-band tools in 1U Bypass Heartbeats/Failsafe High Availability (HA) Filtering, Aggregation and Load Balancing Hardware base chaining Remote mngt 	 Manage multiple inline and out-of-band tools in 1U Bypass Heartbeats/Failsafe High Availability (HA) Filtering, Aggregation and Load Balancing Hardware base chaining Remote mngt

Solutions that work Access and Visibility



ICS Visibility Architecture



ICS Security

Solution Provide:

BH

- Real-time Threat Detection
- Asset discovery and management of devices and firmwares
- Ensure Compliance Standards
- Operational visibility and risk reduction

Security Solutions Need Visibility

You Cannot Secure, What You Cannot See

Security solutions are only

as good as the data they

analyze.

Blindspots hide threats and

anomalies





ICS Visibility Challenges Within OT Environments

- Relying on **legacy switch SPAN ports** for visibility, that aren't secure, reliable or available
- Face different **media or speed** connections
- Network sprawl with a need to reduce network
 complexity and optimize traffic
- Require **unidirectional** connectivity
- Need an **air gapped** solution for virtual environments

Garland Technology Solves

These Challenges

- Providing ICS Security tools 100% packet visibility
- Accommodate media and speed conversion
- Streamline network complexity through traffic aggregation
- Ensuring unidirectional connectivity with Data Diode TAPs
- Air-gap virtual traffic mirroring vTAP






Provide ICS Security Tools 100% Packet Visibility Eliminate Blind Spots and Improve Tool Performance

Network TAPs


- 100% Full duplex copy of network traffic
- Scalable and can either provide a single copy, multiple copies (regeneration), or consolidate traffic (aggregation) to maximize the production of your monitoring tools.
- Does not affect the network / Passive or failsafe
- Rugged and reliable, DIN rail, DC power converters
- Easy, plug and play






SCADAfence & Garland

Continuous Monitoring for Industrial Environments






Utilities: Power, Water, and Wastewater Redundant Network Visibility Fabric






Utilities: Power, Water, and Wastewater Visibility Fabric






Oil & Gas Purdue Model Visibility Fabric








Oil & Gas Visibility Fabric






Manufacturing and Pharmaceuticals Visibility Fabric








Manufacturing and Pharmaceuticals Visibility Fabric




Substation SCADA Virtualization and Firewall Optimization



- Captures Virtual SCADA packets
- TAP physical interface data
- Aggregates both physical and virtual data
- Transports Substation data to main data centers
- Full substation data visibility





- SW updates to firewalls causes network downtime
- Loss of substation data visibility
- Bypass TAP maintains network availability
- Improved visibility during security updates

Implementing Out-of-Band Visibility Architecture CASE STUDIES



Health Inline Bypass TAP's


Gaining Full Visibility During an Instant Response Data Breach

Cyber Defense Group, a healthcare group's incident response team stopped a data breach with Garland.

Solution: Network TAPs provided 100% visibility

Garland allowed CDG to quickly gain visibility to the proprietary tools they use for full packet capture in the cloyd, intrusion detection (IDS), enterprise security monitoring, NGFW and log management to properly resolve the data breach.





Monitoring 5G Environments

Troubleshooting User performance Issues at the Fronthaul

A mobil wirelss provider launching a national 5G network gained full packet-level visibility for thorough testing and monitoring at elevated speeds.

Solution: Garland's 25G Passive Fiber Network TAPs feding SYNESIS 25G Portable, provided packet capture visibility at the moment's notice

- Radio Unit Radio Vinit Radio V
- Replaced existing 10G TAPs, that couldn't accommodate 25G
- Eliminated need for large space and power requirements versus rackmount systems
- Complete «zero packet loss» visibility provided confidence in analysis results
- Lowered CapEx cost for portable high-density equipment
- Lowered OpEx cost for onsite personnel




Monitoring Telecommunications

Improve Visibility to Enhance Remediation and Resolve Vulnerability

Prepaid Wirelss Group added Garland visibility to improve network remediatioon and resolve network vulnerability

Solution: Deployed Garland's 40G passive fiber SelectTAP ve PacketMAX feeding Cirries' PacketPoint, packet capture appliances.



- Streamlined data collection workflows for analysis during
- Improved visibility provided network troubleshooting and resolution
- Reduced complexity and improve network performance
- Lowered OpEx cost for onsite personnel





Industrial Infrastructure

Providing Visibility and Reducing Network Complexity

A leading O&G company looking to reduce connectivity complexity, enablinh higher performance-helping to bridge the OT and IT


Solution: A combination of AggregatorTAPs and PacketMAX packet brokers deployed throughout the network, feding back to a central location.

- Reduce complexity and administrative overhead
- Enable infrastructure upgrades

OTD Bil

HNOLOG

- Improved the network performance
- Improve effectiveness of tool performance



Federal Full Packet Capture


Custom Solutions for Mission Critical Data

The Department of Defense turns to garland for custom, durable, high-quality, fast turnaround.

Solution: Custom TAPs for Extreme Environments

Garland, developed custom-built TAPs o withstand environmental and durability concerns, to feed operational data to a packet capture tool and onto hard drives, ensuring 100% complete mission critical data was collected.






IT Visibility Architecture



Security/Monitoring Fabric


Providing Visibility to Ensure Performance & Security






Security/Monitoring Fabric

Providing Visibility to Ensure Performance & Security





Use Case: TAP 8 links in different locations and aggregate down to one monitoring port.





Medium Sites


GARI ANI

TECHNOLOGY

OTD BiLiSi

GLOBAL VAL

TAP + Aggregation 1-100G Monitoring



- Minimal Tool ports
 - Reduce complexity

Large Sites TAP + Aggregation 1-100G Monitoring

10G links

- Aggregate many TAP links
- Aggregate many SPAN links


<u>Benefits</u>

TECHNOLOG

- 100% wire data visibility
- Advanced aggregation and load balancing
- Deduplication
- Load balance 25G links to Tool
- Media Conversion

OTD BiLiSi

GLOBAL VAL




Multi-location Intrusion Detection Solution

Providing Visibility and Reducing Network Complexity

An example solution with a single IDS monitoring multiple locations

Solution: A combination of Network TAPs and PacketMAX packet brokers deployed throughout the network, feeding back to a central location.

- Reduce costs, complexity and administrative overhead
- Enable infrastructure upgrades
- Improve effectiveness of tool performance



Use Case: TAP and SPAN many links in various locations and GRE Tunnel back to a central location.

TAP LINKS - Entering between the Industrial Device and the switch it is connected to


GD

GABLAND

TECHNOLOGY

GLOBAL VAD

SPAN Port or post-monitoring from switches in industrial environment TAP LINKS – Entering between the Industrial Device and the switch it is connected to SPAN Port or post-monitoring from switches in industrial environment



78


Infrastructure Protection

Providing Added Visibility for Airgapped Unidirectional Pathways

Secure out-of-band analysis

Solution: Data Diode TAPs:

- Disallows bidirectional traffic to protect against back flow of traffic into the network
- Secure TAPs do not have a IP address, or MAC address and cannot be hacked.
- Protects additional source of data streams like switch SPAN ports and network links
- Network traffic control is enforced at the physical level



Network Monitoring and Security Tools



Connecting Inline Security Devices

IT Security Solutions Use Case


Challenge: Managing the risk of downtime is a critical consideration when deploying security tools.


- Device failures can bring down the network
- Deploying new technologies into the network
- Scheduling off hour planned downtime

Solution: Bypass TAP "inline lifecycle management"

- Easily take tools out-of-band for updates, installing patches, maintenance, or troubleshooting
- Simplify tool piloting and deployment
- Administrative isolation
 - No maintenance windows
 - Reduced network impact and downtime







Tool Sandbox


Optimizing Inline Tool Performance

IT Security Solutions Use Case

Challenge: How to troubleshoot inline tools (IPS, firewalls etc) are configured and optimized properly.

Solution: Before and After Optimization & Validation allows you to provide visibility to out-of-band packet capture, storage and analysis tools

- Analyze packet data before and after your inline device to ensure optimal tool performance to validate any updates or troubleshoot why threats weren't blocked
- Enable real-time proof-of-concept evaluations without impacting the network
- Validate tool changes or updates are configured properly





Out-of-band Customer Solutions

+ Situation

+ Large manufacturing customer with no security in OT Environment

+ Requirement


+ Implement an IDS solution

+ Solution

- + Portable copper TAP<2s with DIN Rail mounting
- + High Density Aggregation TAP
- + Network Packet Broker

+ Benefit

- + Secure Access to data
- + Data Diode Taps
- + Reduced implementation cost equipment required
- + Highest level of security





+ Situation

+ Large utility with no security in OT Environment

+ Requirement


+ Implement an IDS solution

+ Solution

- + High Density SPAN Aggregation TAP (Data Diode)
- + Network Packet Broker

+ Benefit

- + Increased security
- + SPAN ports protected with Data Diode TAP's
- + Reduced cost
- + Smaller IDS platform required





+ Situation

+ Large Energy provider with no security in OT Environment

+ Requirement


- + Implement an IDS solution
- + No blind spots
- + Satisfy regulatory requirements

+ Solution

- + Data Diode Network TAP's
- + Data Diode Virtual TAP's
- + Network Packet Brokers

+ Benefit

+ Increased security





+ Situation

- + Large Energy provider with no security
- in OT Environment

+ Requirement

- + Implement an IDS solution
- + No blind spots
- + Satisfy regulatory requirements

+ Solution

- + Data Diode Network TAP's
- + Data Diode Virtual TAP's
- + Network Packet Brokers


+ Benefit

+ Increased security




Speeds

Valve



For your virtualized SCADA network deployments with 100% packet visibility SCADA Virtue Station Mon • Garland PRISM's • Garland TAPs • Garland Collector

Master Assistant Service Data Center





Firewall Optimization Script remote upgrades of your substation firewall software, protecting the substation with security and visibility • Garland Bypass TAPs Garland Auxiliary Service Visibility Utility Solutions Secure your substation communications network and infrastructure and main data center communications center from malicious security breaches. Garland offers a complete end-to-end visibility solution – including virtualized SCADA mon Spring, physical copper & fiber TAPs, and packet Collector providing 100% visibility into your utility infrastructure.



Enterprise Environment

+ Situation

+ Large Insurance Company

+ Requirement

- + Implement a multi location IDS solution
- + Cisco Meraki environment has limited SPAN ability
- + Wnted security monitoring between Access Stacks

+ Solution


- + Secure Passive Fibre TAPs
- + Network Packet Broker with integral fibre TAPs

+ Benefit

- + Increased security
- + Visibility between Core and Access Stacks
- + Guaranteed 100% packet visibility

+ Reduced cost

- + Smaller IDS platform required
- + NPB included TAP's
- + Reduced Space required
- + 2U Space on large sites, 1U on smallest sites
- + Operational cost saving
- + Consistent product family accross all locations
- + No SPAN port management overhead





Enterprise Environment

+ Situation

- + Large Healthcare Provider
- + Requirement
- + Implementing a Forescout IDS solution together with Netscout TruView
- + Required visibility of all Router to Switch links
- + Mixture of 10G, 40G and 100G MMF and SMF BIDI

+ Solution

- + Secure passive fibre TAPs
- + High Density 10/40/100G Network Packet Broker

+ Benefit


- + Increased security
- + Visibility between Router and Switches
- + Guaranteed 100% packet visibility
- + Secure Data Diode mirroring of data

+ Reduced cost

+ Extremely cost effective

+ Minimum Space required

- + 2U Space on large sites
- + Operational cost saving
- + No SPAN port management overhead



TECHNOLOGY

GLOBAL VAL

Enterprise Environment

+ Situation

+ Medium Size Finance Customer

+ Requirement

+ Implementing an IDS with capacity for 2x1G links

+ Observe data on 10x1G copper links

+ Solution

+ M1G2ACE chassis with 10 copper Breakout TAPs


+ High Density 1G Network Packet Broker

+ Benefit

- + Increased security
- + Visibility of key links
- + Guaranteed 100% packet visibility
- + Secure Data Diode mirroring of data

+ Investment protection

- + Ability to connect an IDS or another tool via 10G
- + Operational cost saving
- + No SPAN port management overhead





Implementing Inline Visibility Architecture CASE STUDIES



Financial Services


Providing inline threat prevention optimization and analysis

Large investment company looking to optimize threat prevention strategies by adding in-line tool analysis

Solution: Garland's EdgeLens, "Retrospect" transformed network security capabilities with its solution

Allowed to analyze WAF performance to see if it is configured properly or if the threat is missing

- Inline to ensure optimum tool performance Analysis of packet data before and after device
- Verify all updates or check for threats. Analyzing why it is not blocked



Financial Services


Providing inline threat prevention optimization and analysis

Large investment company looking to optimize threat prevention strategies by reducing in-line vehicle analysis

Solution: Garland's EdgeLens transformed their network security capabilities with the «Historical Look-back» solution

- A primary or "active" IPS
- And a second or "passive" IPS

In case the primary device becomes disabled, the secondary device automatically takes over the primary device.



TAP to Tool[™] Architecture

Securing and monitoring your network is the ultimate goal

Garland is an enabling technology. Our philosophy is to not lose sight of that goal by architecting to the tool, not competing with them.

TAPs | Foundation of Visibility: Start with Network TAPs

- Provide 100% raw packet data
- Aggregation, regeneration, bypass functionality

Network Packet Brokers: Deploy what you need

- Advanced Aggregation Filters, Aggregation and load balancing
- Advanced Features Dedup, packet slicing, time stamping, etc
- Hybrid Integrated TAPs with packet broker functionality

Tools | Feed your: Network Analyzers, IDS, SSL Decryption, NGFW, Packet capture, APM, IPS, DDoS





Thank You

